

VENICUT32



DELTANOCUT® KNITTED GLOVE - PU-COATING PALM Ref. VECUT32JA





Product specifications

DELTAnocut® high performance fibre. Polyurethane coating on palm and fingertips. Gauge 15.

Support: DELTAnocut® High performance fibres.

Coating: 100% polyurethane.

COLOUR

Yellow

SIZE

06, 07, 08, 09, 10, 11

Product Use - Risks



CUTTING



Wearing



Construction / Civil engineering



Second work / craftman



Light industry



Services / Logistics



Product's highlights & user's benefits



Polyurethane coating

Very soft and breathable material bringing comfort and dexterity
Very good abrasion and tear resistance

DELTAnocut® fibre

Very soft texture for great comfort all day

The choice of glove suited to the level of risk, ensured by the visual cue, guarantees work in secure conditions. A whole range dedicated to this approach.



Cut level B

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)



- 4: Resistance to abrasion (from 1 to 4)
- X: Resistance to cutting (from 1 to 5)
- 4: Resistance to tear (from 1 to 4)
- 2: Resistance to puncture (1 to 4)
- B: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)

USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A2: Resistance to cutting by sharp objects (from A1 to A9)



References					
References	Bar code	COLOUR	SIZE	•	<u>.</u>
VECUT32JA06	3295249169411	Yellow	06	60	12
VECUT32JA07	3295249169428	Yellow	07	60	12
VECUT32JA08	3295249169435	Yellow	08	60	12
VECUT32JA09	3295249169442	Yellow	09	60	12
VECUT32JA10	3295249169459	Yellow	10	60	12
VECUT32JA11	3295249169466	Yellow	11	60	12