

AlphaTec® 85-500 85-502 85-504



Chemical & Liquid Protection



Ethylene propylene diene rubber (EPDM)




Medium



IDEAL APPLICATIONS

- Electronics
- Pharmaceuticals

PRIMARY INDUSTRIES



STANDARDS AND CERTIFICATIONS

EN388:2003



4111

EN374:2003



EN374:2003



AKL

CATEGORY III

EXTRA FEATURES



Antistatic

PREMIUM, FDA APPROVED MATERIAL(*) REDUCES GLOVE CHANGES(**)

DESCRIPTION

EPDM MEDIUM WEIGHT ISOLATOR BOX GLOVE

- High quality material, in compliance with FDA CFR21(*)
- Designed for repeated autoclave sterilization (up to 50 times), reducing the need for glove replacements
- Comfortable and dexterous with great tactile sensitivity
- Resistant against hydrogen peroxide solutions and common disinfecting chemicals
- Resists aging from exposure to oxygen, UV rays and ozone
- Withstands temperatures up to 130°C for repeated sterilization
- Halogen-free: suitable for disposal by incineration
- Available port sizes fit most isolator glove boxes

PRODUCT DETAILS

Coating material	Diene Ethylene Propylene Rubber
Grip design	Smooth
Colour	Black
AQL	1.5
EN Sizes	9.5,11
Length (mm)	85-500: 800 (Port Size 203mm) 85-502: 800 (Port Size 250mm) 85-504: 800 (Port Size 300mm)
Packaging	10 pairs in black sealed bags per shipper carton

Print date 05-12-2019

Ansell Healthcare Europe N.V. (European Head Office)

Riverside Business Park, Block J

Boulevard International 55, 1070 Brussels, Belgium

Tel. +32 (0) 2 528 74 00 • Fax +32 (0) 2 528 74 01 • Fax Customer Service +32 (0) 2 528 74 03

<http://www.ansell.eu> • E-mail info@ansell.eu