



TEGERA® 12910

Chemical protection glove, 0,3* mm (*chem-layer) PVC (Vinyl), seamless, cotton, sandy finish, Cat. III, blue, extra long, for heavy work

PROPERTIES

Highest level of protection, very durable, good fit

SPECIFICATION

TYPE OF GLOVE Disposable and/or chemical resistant gloves

CATEGORY Cat. III

SIZE RANGE (EU) 7, 8, 9, 10, 11

LINER MATERIAL Seamless, cotton

MATERIAL PVC (Vinyl)

THICKNESS 0,3* mm (*chem-layer)

DEXTERITY 5

GRIP PATTERN Sandy finish

LENGTH RANGE 700 mm

COLOUR Blue

PAIRS PER PACKAGE/CARTON 6/36

PIECES PER BOX 6

AQL 0.65

DISPLAY Bulk pack OUTER MATERIAL SPECIFICATION Polyvinyl chloride


INNER MATERIAL SPECIFICATION Cotton

SIZE	ART. NO.	EAN NO.
7	12910-7	7392626074385
8	12910-8	7392626074392
9	12910-9	7392626074408
10	12910-10	7392626074361
11	12910-11	7392626074378

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.



CE 0075 Cat. III



TEGERA® 12910

FEATURES

Protection against chemicals, extra long

PREVENTS RISK OF

Risk of infection, corrosive injuries, contact with dirt, contact with chemicals, contact with moisture, contact with damp, contact with oil and fat

PRIMARY ENVIRONMENTS OF USE

Chemical risk environments, microbiological risk environments, environments hazardous to health, corrosive environments, wet environments, moist environments, oily and greasy environments, dirty environments

PRIMARY AREAS OF USE

Marine work, fishing industry work, petro-chemical work, chemical work, chemical technology work, laboratory work, paper industry work, decontamination, sanitation, cleaning

PRIMARY INDUSTRIES OF USE

Agriculture, oil, gas, petrochemical, pulp and paper, chemical

TYPE OF WORK

Heavy weight

2(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-06-14

TEGERA® 12910

EC TYPE EXAMINATION

Notified Body: 0075 CTC, 4 rue Hermann Frenkel, 69367
Lyon Cedex 07 France

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EN 388:2003 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
A) Resistance to abrasion (No. of revolutions)	4	(4)
B) Resistance to cutting (Index)	1	(5)
C) Tear resistance (Newton)	2	(4)
D) Puncturing resistance (Newton)	1	(4)

EN 388 - Testing (specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
A) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
B) Resistance to cutting (Index)	1,2	2,5	5,0	10,0	20,0
C) Tear resistance (Newton)	10	25	50	75	
D) Puncturing resistance (Newton)	20	60	100	150	

EN 374-2:2003 Protective gloves against chemicals and micro-organisms - Part 2: Determination of resistance to penetration

EN 374-3:2003 Protective gloves against chemicals and micro-organisms - Part 3: Determination of resistance to permeation by chemicals

Permeation levels are based on breakthrough times as follows

Permeation level	1	2	3	4	5	6
Minimum breakthrough times (min)	10	30	60	120	240	480

Definition of breakthrough time through the glove palm (1ugm/cm²/min)

A: Methanol (CAS Number 67-56-1) - Permeation level 2



J: n-Heptane (CAS number 142-85-5) - Permeation level 2

K: Sodium hydroxide 40% (CAS number 1310-73-2) - Permeation level 6

L: Sulphuric acid 96% (CAS number 7664-93-9) - Permeation level 3



CE 0075 Cat. III



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-06-14

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com