



SIZE	ART. NO.	EAN NO.
7	785-7	7340118302485
8	785-8	7340118302508
9	785-9	7340118302522
10	785-10	7340118302447
11	785-11	7340118302461

TEGERA® 785

Cut resistant glove, nitrile, fully dipped, double-dipped, Dyneema® Diamond Technology, Lycra®, nylon, 13 gg, reinforced grip pattern, cut resistance level D, Cat. II, black, red, oil and grease resistant, waterproof palm, fibreglass-free, for assembly work

PROPERTIES

High level of protection, flexible, very durable, good grip

SPECIFICATION

TYPE OF GLOVE Cut resistant gloves

CATEGORY Cat. II

CUT RESISTANCE (EN ISO 13997) Cut resistance level D

CUT RESISTANCE (EN ISO 13997) NEWTON VALUE 18,6

SIZE RANGE (EU) 7, 8, 9, 10, 11

LINER MATERIAL Dyneema® Diamond Technology, Lycra®, nylon, 13 gg

DIPPING Fully dipped, double-dipped

DIPPING MATERIAL Nitrile

DEXTERITY 5

GRIP PATTERN Reinforced grip pattern

CUFF STYLE Knitwrist cuff

LENGTH RANGE 230 - 270 mm

COLOUR Black, red

PAIRS PER PACKAGE/CARTON 12/120

PIECES PER BOX 0

DISPLAY Bag with euro slot

MATERIAL SPECIFICATION UHMWPE, nylon, elastane, nitrile

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
4X43D



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-06-24

TEGERA® 785

FEATURES

Cut resistant according to 388:2016 level D, pre-curved fingers, oil and grease resistant, steel-fibre free, fibreglass-free

PREVENTS RISK OF

Cut injuries, abrasion injuries, blisters, grazes, scratches, lacerations, contact with dirt, contact with oil and fat

PRIMARY ENVIRONMENTS OF USE

Cut risk environments, slippery environments, oily and greasy environments, dirty environments, harsh environments

PRIMARY AREAS OF USE

Assembly, machine operating, building and construction, painting, installation work, electrical installation, HVAC installation, construction, soil preparation, engineering, machine driving, warehouse work, metalwork, mining, glass industry work, wood industry work, gardening, repair work, paper industry work, decontamination, sanitation

PRIMARY INDUSTRIES OF USE

Agriculture, mining, oil, gas, petrochemical, pulp and paper, glass, bricks, concrete, metal fabrication, machinery and equipment, MRO, automotive, transportation, utilities, building and construction, logistics

TYPE OF WORK

Medium weight

2(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 785

EU-TYPE EXAMINATION

0075 CTC, 4 rue Hermann Frenkel, 69367 Lyon Cedex 07
France

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN 388:2016 Protective gloves against mechanical risks

Property	Level Achieved	(Maximum Performance)
a) Resistance to abrasion (No. of revolutions)	4	(4)
b) Cut resistance (Index)	X	(5)
c) Tear resistance (N)	4	(4)
d) Puncturing resistance (N)	3	(4)
e) Cut resistance, EN ISO 13997 (N)	D	(F)
f) Impact protection, EN 13594:2015		(P)

EN 388 – Testing

(specifies the requirements that apply for each safety level).

Level of protection/Performance level	1	2	3	4	5
a) Resistance to abrasion (No. of revolutions)	100	500	2 000	8 000	
b) Cut resistance (Index)	1,2	2,5	5,0	10,0	20,0
c) Tear resistance (N)	10	25	50	75	
d) Puncturing resistance (N)	20	60	100	150	

Level of protection/Performance level	A	B	C	D	E	F
e) Cut resistance, EN ISO 13997 (N)	2	5	10	15	22	30

Level of protection/Performance level	P
f) Impact protection, EN 13594:2015	Pass (Level 1 ≤ 9 kN)



CE Cat. II

EN 420:2003
+ A1:2009



EN 388:2016
4X43D



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-06-24

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com