



TEGERA® 837

Disposable glove, 0,12 mm neoprene, extra fingertip grip, non powder, Cat. III, green, extra long, latex-free, for precision work

PROPERTIES

Extremely good fingertip sensitivity, extra flexible, durable, good grip, perfect fit

SPECIFICATION

TYPE OF GLOVE Disposable and/or chemical resistant gloves

CATEGORY Cat. III

SIZE RANGE (EU) 7, 8, 9, 10

MATERIAL Neoprene

THICKNESS 0,12 mm

INSIDE Non powder

DEXTERITY 5

GRIP PATTERN Extra fingertip grip

LENGTH RANGE 290 mm

COLOUR Green

BOXES PER CARTON 10

PIECES PER BOX 100

AQL 1.5

DISPLAY Box

SIZE	ART. NO.	EAN NO.
7	837-7	7340118303819
8	837-8	7340118303833
9	837-9	7340118303857
10	837-10	7340118303772

All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

TEGERA® 837

FEATURES

Splash protection against chemicals, elastic

PREVENTS RISK OF

Corrosive injuries, contact with chemicals, contact with moisture, contact with damp

PRIMARY ENVIRONMENTS OF USE

Corrosive environments, disposable use

PRIMARY AREAS OF USE

Fine assembly, chemical technology work, laboratory work

PRIMARY INDUSTRIES OF USE

Chemical, service

TYPE OF WORK

Light weight

2(3)



CE 2777 Cat. III

EN 420:2003
+ A1:2009



EN ISO 374-1:2016/Type B
KPT



EN ISO 374-5:2016



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-04-27

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com

TEGERA® 837

EU-TYPE EXAMINATION

2777 Satra Technology Europe Ltd Bracetown Business Park, Clonee, Dublin 15, Dublin, Ireland

CHEMICAL RESISTANCE

According to EN16523-1:2015. For details, please contact Ejendals.

COMPLIANCE DESCRIPTION

EN 420:2003 + A1:2009 Protective gloves - general requirements and test methods

EU 2016/425

EN ISO 374-5:2016 Protective gloves against dangerous chemicals and microorganisms – Part 5 Terminology and performance requirements for microorganism risks.

EN ISO 374-1:2016/Type B Protective gloves against dangerous chemicals and microorganisms – Part 1: Terminology and performance requirements for chemical risks.

Test according to EN ISO 374-1:2016

Tested chemical	K	P	T
Permeation level	6	6	6
Degradation %	4,6	4,8	2,1

Permeation levels are based on breakthrough times as follows

Permeation level	1	2	3	4	5	6
Minimum breakthrough times (min)	10	30	60	120	240	480

Definition of breakthrough time through the glove palm (1ugm/cm²/min)

K: Sodium hydroxide 40% (CAS number 1310-73-2)

P: Hydrogen peroxide 30% (CAS number 7722-84-1)

T: Formaldehyde 37% (CAS number 50-00-0)



CE 2777 Cat. III

EN 420:2003 + A1:2009  EN ISO 374-1:2016/Type B KPT

 EN ISO 374-5:2016 VIRUS



All values for the specified product are indicated without tolerances and may vary to actual value for individual products. We reserve the right to modify or update the information in this document without prior notice.

2020-04-27

3(3)

ejendals
PROTECTING HANDS AND FEET

EJENDALS AB

Box 7, SE-793 21 Leksand, Sweden

Phone +46 (0) 247 360 00

Fax +46 (0) 247 360 10

info@ejendals.com

order@ejendals.com

www.ejendals.com