


# Product Data Sheet

## MaxiDry® Zero™ 56-451

|                         |                                |
|-------------------------|--------------------------------|
| <b>Colour – Coating</b> | Purple/black                   |
| <b>Colour – Liner</b>   | Dark blue                      |
| <b>Design</b>           | Fully coated knitwrist         |
| <b>Coating</b>          | NBR (Nitrile Butadiene Rubber) |
| <b>Coating texture</b>  | Micro-Foam with Non-Slip Grip  |
| <b>Liner</b>            | Nylon, Acrylic                 |
| <b>Patent number</b>    | EP 1 608 808                   |
| <b>Thickness</b>        | 2.00 mm                        |



### Dimensions

| Size Range                    | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) |
|-------------------------------|------------|------------|------------|--------------|---------------|
| Total glove length (+/-10 mm) | 250        | 260        | 270        | 280          | 290           |
| Wrist length (mm)             | 98         | 98         | 100        | 100          | 102           |
| Wrist width (mm)              | 96         | 96         | 100        | 104          | 104           |
| Palm width (+/-3 mm)          | 110        | 115        | 118        | 125          | 130           |
| Over lock colour              | Red        | Orange     | White      | Yellow       | Black         |

### EN test Results

| Test                    | Notified Body | Result/Pass |
|-------------------------|---------------|-------------|
| EN 420: 2003 + A1: 2009 | TÜV Rheinland | Yes         |
| EN 388: 2016 + A1: 2018 | TÜV Rheinland | 4232B       |
| EN 407: 2004            | TÜV Rheinland | X1XXXX      |
| EN 511: 2006            | TÜV Rheinland | 021         |

If a glove due to its design and construction falls outside the scope of EN 420 in terms of hand size dimensions then this glove is classified as "fit for special purpose".



# Product Data Sheet

## MaxiDry® Zero™ 56-451

### Typical Performance Values

|                                              |               |
|----------------------------------------------|---------------|
| EN 388:2016 + A1:2018 A. Abrasion Resistance | > 8000 Cycles |
| EN 388:2016 + A1:2018 B. Cut Resistance      | > 2.5 index   |
| EN 388:2016 + A1:2018 C. Tear Resistance     | > 50 newtons  |
| EN 388:2016 + A1:2018 D. Puncture Resistance | > 60 newtons  |
| EN 388:2016 + A1:2018 E. Cut Resistance ISO  | ≥ 5 Newton    |

### HandCare®

|                                                  |           |
|--------------------------------------------------|-----------|
| Skin Health Alliance Dermatologically Accredited | Yes       |
| REACH compliant                                  | Yes       |
| Oeko-Tex® 100                                    | Certified |
| Sanitized®                                       | Yes       |



### Special features

|               |                         |
|---------------|-------------------------|
| Silicone free | -                       |
| Liquid proof  | Yes                     |
| Food contact  | Yes (FDA, EC 1935/2004) |



# Product Data Sheet

## MaxiDry® Zero™ 56-451

### Packaging

|                        |                 |
|------------------------|-----------------|
| Pairs per poly bag     | 6               |
| Poly bags per carton   | 12              |
| Carton count           | 72              |
| Carton dimensions (mm) | 500 x 295 x 270 |

### Weight

| Size Range                      | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) |
|---------------------------------|------------|------------|------------|--------------|---------------|
| Glove weight / Pair (+/-6 gram) | 110        | 116        | 128        | 132          | 144           |
| Gross Weight (Kg)               | 9          | 9.5        | 10.3       | 10.65        | 11.5          |
| Carton Weight (Kg)              | 1          | 1          | 1          | 1            | 1             |
| Net Weight (Kg)                 | 8          | 8.5        | 9.3        | 9.6          | 10.5          |

Issue date: 24.06.2019

